
WALL BRACKETS



#7**320** - 4 3/4" Width 9 1/2" Height 5" Projection



#7330 - 10 1/2" Width 10 1/2" Height 10 1/2" Projection



#7340 - 5" Width 26" Height 3 3/4" Projection



#7350 - 4 7/8" Width 12 1/8" Height 3 1/2" Projection



#7**360** - 4 1/4" Width 9 1/8" Height 4 1/2" Projection



#7370 - 7 3/4" Width
17 1/2" Height
3 3/4" Projection



#7380 - 7" Width 15 1/4" Height 7 1/8" Projection



#7**390** - 9 1/2" Width 9 1/4" Height 9 1/4" Projection



#7400 - 5 1/4" Width 16" Height 4" Projection



WALL BRACKETS



#7410 - 3" Width 10" Height 2" Projection



#7420 - 5 1/2" Width 9" Height 3 1/2" Projection



#7430 - 6" Width 13" Height 5" Projection



#7440 - 9" Width 19" Height 6 3/4" Projection



#7**450** - 3 1/2" Width 9 7/8" Height 5 1/8" Projection



#7460 - 8" Width 12" Height 5 3/4" Projection



#7470 - 5 1/16" Width 8" Height 2 7/16" Projection



#7480 - 5 1/4" Width 13 1/4" Height 4 1/4" Projection



#7490 - 18" Width 14" Height 10 3/4" Projection

WALL BRACKETS



#7500 - 4" Width 7" Height 3" Projection



#7510 - 7 1/2" Width 8" Height 2" Projection



#7520 - 6 3/4" Width 21" Height 3" Projection



#7530 - 4 1/2" Width 5 1/2" Height 2 3/4" Projection



#7540 - 4" Width 5 5/8" Height 2 5/8" Projection



#7550 - 4" Width 5 1/2" Height 2 1/2" Projection



#7560 - 5" Width 8 1/4" Height 2 3/4" Projection



#7570 - 4 1/8" Width 5 3/4" Height 2 3/4" Projection



#7580 - 3 1/2" Width 4" Height 2 1/4" Projection

MISCELLANEOUS



#7589 - 16 1/2" Width 4" Height Curved panels, left and right



#7590 - 14 1/4" Width 11 1/4" Height 2 1/2" Projection



#7600 - 8 1/2" Width 13" Height 2" Projection



#7670 - 36" Width, 36" Height - 30" Width, 30" Height - 24" Width, 24" Height - 18" Width, 18" Height - 2" Projection - 4" Width



#7680 - 36" Width, 36" Height - 31" Width, 31" Height - 28" Width, 28" Height - 24" Width, 24" Height - 20" Width, 20" Height - 2" Projection - 4" Width

MISCELLANEOUS





#7**690** - 7" Width 9" Height 5" Projection



#7700 - 8 1/4" Dia.



#7710 - 10 1/2" Dia.



#77**20** - 29" Dia. 2" Projection



#7730 - 12" Width 12" Height 1" Projection



APPLICATIONS

For use over cementitious systems such as; EIFS systems (base coat); limestone, precast concrete, brick and concrete block.

Physical Properties:

Integral Core consisting of inorganic materials, with 70% post-consumer recycled glass and additives.

- Using a patented composition
- No spalling, delamination or cohesive disintegration of the integral core
- High compressive strength fuel
- No wrapping, cracking, or sagging
- Moisture Resistant
- Zero mould and fungus growth

- Contribution (ASTM E84-80)
- Flame Spread (ASTM E84-80)
- Smoke Index (ASTM E84-80)
- Combustion (ASTM E84-80)

Method of Attachment of Lightweight Concrete Accents:

Adhesively and/or mechanically fastened, as specified.

Adhesive Method:

Apply adhesive to entire back surface of Exterior Lightweight Precast Accent using a 9.5 mm (3/8") notched trowel. Vertical pattern recommended. Immediately install Exterior Lightweight Precast Accent while adhesive is wet. Remove excess adhesive before it dries. Larger Exterior Lightweight Precast Accents require temporary support systems or mechanical fasteners until adhesive sets.

Adhesive and Mechanical Fastener Method:

Apply adhesive as specified above and in accordance with manufacturer.

Install mechanical fasteners: Zinc plated, in accordance with manufacturer.

Applying Finish:

After curing of Exterior Lightweight Precast Accent, remove temporary supports and begin treating Exterior Lightweight Precast Accents with finish coat system in accordance with finish coat system manufacturer's recommendations.

Apply finish coat over LA CRÈME EXTERIOR ORNAMENTS in accordance with finish manufacturer's current published instructions.

Specify texture and colour of finish in accordance with approved sample. All mechanics applying and texturing finish shall utilize same tools, equipment and techniques to achieve uniformity.

TERMS AND CONDITIONS

Placing an Order

Placing an order is simple.

You send us your plans, ideas, desires, photos whatever. We respond with a line item estimate bid for your approval. Call us and we will help you select appropriate units, make suggestions on the best way to achieve the look you want, work with you to satisfy your desires.

Our general lead time is Appx. 3-6 weeks from receipt of order. We stock several products including Column Bases, Column Capitals & Keystones etc...

The more information you can furnish, the easier it is. However, we can and have worked with extremely sketchy ideas.

Call us at (905) 761-7404. We are here to help you. Please fax purchase orders (showing qty, product, price) to our Customer Service Dept at: Fax: (905) 760-9234 or phone: 1-888-761-7404

Modifications & Custom Orders

Any changes to the standard criteria listed in each section should be discussed with our sales technicians to determine additional charges that will be required. Custom requirements are priced according to your designs and specifications. Please send us your drawings so we may accurately estimate any custom items. A minimum 50% deposit is required before production can begin. Orders are non-cancelable once production has started. Custom designs cannot be returned. Remember, you can always Take the easy way out by sending us your plans and we will provide a complete cost Estimate/Bid. With or without freight included.

All moulds, master or patterns made by or designed by La Crème Exterior Ornaments, are property and copyright of La Crème Exterior Ornaments Inc.

Pricing

Cost factors do not include shipping, administration, shop drawings, custom pieces, or sales tax within Ontario. Cost factors are effective November 1, 2006 and subject to change without notice. Orders less than \$3,000 must be 100% prepaid. Larger orders require a deposit to begin processing. The balance is due upon completion of production. All orders must be prepaid prior to shipment, including freight charges.

TERMS AND CONDITIONS

Delays & Acceptance

Scheduling is a very important part of every project. The best way we can sum up this situation is "A delay on your part does not necessarily facilitate a rush on our part." But, just as with a doctor/patient relationship, we attempt to fulfill every requirement that our customer has. Prompt attention to all correspondence is the best way to avoid scheduling problems. Orders are processed in the sequence they are received. Delivery dates are always an estimate, especially for custom orders. With this in mind, we suggest you place your orders well in advance.

A 50% Rush change will apply for priority in the regular sequence.



Once You Look, It's All You'll See.

Green Innovations in Lightweight Concrete™

Cancellations & Returns

Any products that is being returned to La Crème Exterior Ornaments must be approved and given a Return Goods Authorized number (RGA#) by La Crème Exterior Ornaments.

Any items that are shipped to La Crème Exterior Ornaments without the approved RGA# will be declined, and shipped back to its origin at the customer's expense.

All items that have been authorized by La Crème Exterior Ornaments are to be shipped to La Crème Exterior Ornaments freight prepaid, or they will be refused at the customers expense. Within 30 days of purchase all approved returns are also subject to a 20% minimum restocking charge. Within 120 days of purchase all approved returns are also subject to a 30% minimum restocking charge. No products can be returned after 120 days.

Customer Service

We value your business and your satisfaction is very important to us. Our sales technicians will be happy to assist you with placing your order. An Estimate/Bid will be sent to you for your approval and authorization to proceed. Once you have signed a contract and sent in your deposit, detailed shop drawings of each item will be furnished for your approval. Throughout your project, you will be updated with schedules and notified of the shipping date. We have the expertise here. Please be patient as we try to give your the best we have when needed.

TERMS AND CONDITIONS

One Year Limited Product Warranty

La Crème Exterior Ornaments warrants that the products featured in this catalogue are free from defects in material and workmanship for a period off one year from date of purchase. This warranty is limited to replacing a product found to be defective and does not include any labour, transportation costs, damage or other expenses of any kind occurred in connection with the purchase, sale or use of the products.

The manufacturer's warranty is exclusive and in lieu of all other warranties whether written, oral, implied, or statutory, excluding any warranty of merchantability or fitness for a particular purpose and expressly excludes liability for any incidental, consequential, or other damages, and liability based upon any alleged negligence, breach of duty or any other legal theory other than the limited liability warranty set forth above. The maximum liability shall not exceed the purchase price of the material provided.

This warranty expressly excludes liability for color variations, cracking, or chipping of manufactured materials.

The manufactured material must be installed by all applicable Federal, State, Provincial and local building codes in order for the warranty to be valid. Manufacturer reserves the right to inspect, photograph, and remove samples of alleged defective product.

Warranty Department
La Crème Exterior Ornaments Inc.
173 Adesso Drive, Unit 2
Concord, Ontario Canada
L4K 3C3

We appreciate your orders and welcome any comments or suggestions you may have regarding our products or services. We would also like to have photographs of your completed projects to help keep our catalog and portfolio up to date. We hope our products make your job easier and a huge success.

Thank You.

La Crème Notes

La Crème Notes

Lightweight Exterior Concrete Accents For Stucco, EIFS, Brick and Stone

Specifications



Weight 20 – 40 lbs per cubic foot



Composition
Post-consumer recycled glass
Lightweight Cement

Proprietary and patented formulation

Color
Natural grey cement
Custom colors and finishes available



Moisture resistance Exceptional humidity and moisture resistance



Fire rating
ASTM E84 surface burning characteristics
Class A




Environmentally safe Recyclable

Testing results upon request

173 Adesso Drive, Unit 2, Concord, ON Canada L4K 3C3 Local 905.761.7404 Fax 905.760.9234 Toll Free 888.761.7404

Hours of Operation: Monday to Friday 7:30am to 5:00pm Saturdays By appointment



Deal	lers
------	------

Dealer Inquirers Welcome. Distribution in these areas to serve you better!

Concord • Kitchener • Wisconsin • Florida •

www.LaCremeOrnaments.com

Edition 1 - Casting Architectural Lightweight Concrete since MMIV - Designed by www.ignitedesignsite.com